


You have symptoms and are concerned you may have COVID-19. Now what?


This guidance does not apply to individuals who live, work, volunteer or are admitted in a highest risk setting*



*Highest risk settings include hospitals (including complex continuing care facilities and paramedic services) and congregate living settings, including Long-Term Care, retirement homes, First Nation elder care lodges, group homes, shelters, hospices and correctional institutions.
Note: Symptoms should not be related to any other known causes or conditions. See the [COVID-19 Reference Document for Symptoms](#) for more information


You've been identified as a close contact of someone who has tested positive for COVID-19 or someone with COVID-19 symptoms. Now what?

This guidance does not apply to individuals who live, work, volunteer or are admitted in a highest risk setting (hospitals, Long-Term Care, retirement homes, congregate living settings)



Wear a well-fitted mask in public, physical distance and maintain other public health measures for 10 days following your last exposure if leaving home. You should **NOT visit any highest risk settings or individuals who may be at higher risk of illness (i.e. seniors or immunocompromised) for 10 days from your last exposure. Immunocompromised individuals may still be susceptible regardless of vaccination and should self-isolate for 10 days after last exposure to a case/symptomatic person.
^a If you develop symptoms, self-isolate for at least 10 days (or 5 days if under 12 years old) from symptom onset and until you have no fever and other symptoms are improving for 24 hours (or 48 hours for gastrointestinal symptoms).

You've been identified as a close contact of someone who has tested positive for COVID-19 or someone with COVID-19 symptoms and you work in a highest risk setting.* Now what?



*Highest risk settings include hospitals (including complex continuing care facilities and paramedic services) and congregate living settings, including Long-Term Care, retirement homes, First Nation elder care lodges, group homes, shelters, hospices, and correctional institutions.

Wear a well-fitted mask in public, physical distance and maintain other public health measures for 10 days following your last exposure. You should **NOT visit any highest risk settings* or individuals who may be at higher risk of illness for 10 days from your last exposure, unless you recently had test-confirmed COVID-19 infection. Immunocompromised individuals may still be susceptible regardless of vaccination and should self-isolate for 10 days after last exposure to a case/symptomatic person.